



**Nippi, Incorporated**  
**Biological and Chemical Products Division**

1-1-1 Senju Midori cho, Adachi, Tokyo 120-8601

Tel. +81-3-3888-5184

E-mail: protein-info@nippi-inc.co.jp

CERTIFICATE of ANALYSIS


Product Name                    iMatrix-511

Lot No.                            21F094

Product No.                    892 011  
    892 012

Contents	892 011 : 350 $\mu$ L $\times$ 2 pcs 892 012 : 350 $\mu$ L $\times$ 6 pcs
Solvent	PBS(-)
Date of Manufacture	21 Jun. 2021
Expiration Date	20 Jun. 2023
Manufacturer	Nippi, Incorporated Biological and Chemical Products Division
Issue Date	16 Aug. 2021

Test	Specification	Result
Bacterial Endotoxins Test	No more than 5 EU/mg	< 0.8 EU/mg
Sterility Test	Negative	Negative
Mycoplasma Test (PCR)	Negative	Negative
Purity (SDS-PAGE)	More than 95%	99.5 %
Integrin Binding Assay (K <sub>d</sub> )	10 nM or less	0.4 nM
Concentration	500 $\mu$ g/mL ( $\pm$ 10%)	481 $\mu$ g/mL

  
Akira Nomura, Division Manager