



Nippi, Incorporated
Biological and Chemical Products Division

1-1-1 Senju Midori cho, Adachi, Tokyo 120-8601

Tel. +81-3-3888-5184

E-mail: protein-info@nippi-inc.co.jp

CERTIFICATE of ANALYSIS

Product Name iMatrix-511
Lot No. 22E203
Product No. 892 011
 892 012

| | |
|---------------------|--|
| Contents | 892 011 : 350 μ L \times 2 pcs 892 012 : 350 μ L \times 6 pcs |
| Solvent | PBS(-) |
| Date of Manufacture | 31 May 2022 |
| Expiration Date | 30 May 2024 |
| Manufacturer | Nippi, Incorporated Biological and Chemical Products Division |
| Issue Date | 11 Jul. 2022 |

| Test | Specification | Result |
|---|-----------------------------|----------------|
| Bacterial Endotoxins Test | No more than 5 EU/mg | < 0.9 EU/mg |
| Sterility Test | Negative | Negative |
| Mycoplasma Test (PCR) | Negative | Negative |
| Purity (SDS-PAGE) | More than 95% | 99.3 % |
| Integrin Binding Assay (K _d) | 1 nM or less | 0.4 nM |
| Concentration | 500 μ g/mL (\pm 10%) | 517 μ g/mL |


Akira Nomura, Division Manager