



**Nippi, Incorporated**  
**Biological and Chemical Products Division**

1-1-1 Senju Midori cho, Adachi, Tokyo 120-8601

Tel. +81-3-3888-5184

E-mail: protein-info@nippi-inc.co.jp

CERTIFICATE of ANALYSIS

Product Name iMatrix-511

Lot No. 24B215

Product No. 892 011  
892 012

Contents	892 011 : 350 $\mu$ L $\times$ 2 pcs 892 012 : 350 $\mu$ L $\times$ 6 pcs
Solvent	PBS(-)
Date of Manufacture	22 Feb. 2024
Expiration Date	21 Feb. 2026
Manufacturer	Nippi, Incorporated Biological and Chemical Products Division
Issue Date	10 Apr. 2024

Test	Specification	Result
Bacterial Endotoxins Test	No more than 5 EU/mg	< 1.3 EU/mg
Sterility Test	Negative	Negative
Mycoplasma Test (PCR)	Negative	Negative
Purity (SDS-PAGE)	More than 95%	98.5 %
Integrin Binding Assay (K <sub>d</sub> )	1 nM or less	0.4 nM
Concentration	500 $\mu$ g/mL ( $\pm$ 10%)	484 $\mu$ g/mL

  
Akira Nomura, Division Manager